



NOTES :-

1. ALL DIMENSIONS ARE IN MILLIMETRES.
2. SEE DN-GEO-03036 FOR DIMENSIONS OF CROSS-SECTION ELEMENTS.
3. FOR DETAILS OF ROAD MARKINGS SEE THE TRAFFIC SIGNS MANUAL.
4. THE VERGE WIDTH SHOULD BE INCREASED AS REQUIRED TO ACCOMMODATE THE FEATURES AND SERVICES CONTAINED THEREIN.
5. LONGITUDINAL DUCTS ARE TO BE PROVIDED WITH IN EACH VERGE, REFER TO DN-ITS-03029 FOR THE MINIMUM REQUIREMENTS FOR PROVISION OF LONGITUDINAL COMMUNICATION DUCTS. REFER TO CC-SPW-00500 (SERIES 500) AND CC-SPW-01500 (SERIES 1500) FOR FURTHER DETAILS ON DUCT SPECIFICATION.



PUBLICATION TITLE
ROAD TYPE AND CROSS-SECTION
DIVERGE SLIP ROADS ONLY: 2 LANES

ACTIVITY	PUBLICATION TITLE			PUBLICATION NUMBER		
STANDARD	HISTORICAL REFERENCE	DOCUMENTATION SET	PUBLICATION DATE	ACTIVITY	STREAM	DRAWING NUMBER
STANDARD CONSTRUCTION DETAILS (SCD)	RCD/000/11	STANDARDS	APRIL 2014	CC	SCD	00011