


END OF CLIMBING LANE  
REDUCTION TO STANDARD SINGLE CARRIAGEWAY WIDTH



CROSS SECTION - STANDARD SINGLE CARRIAGEWAY

- NOTES:-
1. ALL DIMENSIONS ARE IN METRES.
  2. ——— J ——— INDICATES LONGITUDINAL JOINT POSITIONS.
  3. DIRECTION OF CROSS-FALL IS DEPENDENT ON CURVATURE.
  4. CROWNS SHOULD BE ALONG CONSTRUCTION JOINTS.



PUBLICATION TITLE  
**CONCRETE PAVEMENTS  
TYPICAL LONGITUDINAL JOINT POSITIONS IN UNREINFORCED SLABS  
FOR STANDARD SINGLE CARRIAGEWAYS WITH A CLIMBING LANE**

|          |                                     |          |        |                      |                   |
|----------|-------------------------------------|----------|--------|----------------------|-------------------|
| ACTIVITY | PUBLICATION TITLE                   |          |        | PUBLICATION NUMBER   |                   |
| STREAM   | STANDARD CONSTRUCTION DETAILS (SCD) |          |        | HISTORICAL REFERENCE | DOCUMENTATION SET |
|          | STANDARD CONSTRUCTION DETAILS (SCD) |          |        | RCD/1000/11          | STANDARD          |
|          |                                     |          |        | PUBLICATION DATE     |                   |
|          |                                     |          |        | MARCH 2000           |                   |
|          |                                     | ACTIVITY | STREAM | DRAWING NUMBER       |                   |
|          |                                     | CC       | SCD    | 01011                |                   |