



Bonneagar Iompair Éireann
Transport Infrastructure Ireland

TII Publications



Guidance for Measuring and Pricing of Drainage and Service Ducts

CC-GMP-00500

October 2016

About TII

Transport Infrastructure Ireland (TII) is responsible for managing and improving the country's national road and light rail networks.

About TII Publications

TII maintains an online suite of technical publications, which is managed through the TII Publications website. The contents of TII Publications is clearly split into 'Standards' and 'Technical' documentation. All documentation for implementation on TII schemes is collectively referred to as TII Publications (Standards), and all other documentation within the system is collectively referred to as TII Publications (Technical).

Document Attributes

Each document within TII Publications has a range of attributes associated with it, which allows for efficient access and retrieval of the document from the website. These attributes are also contained on the inside cover of each current document, for reference.

TII Publication Title	<i>Guidance for Measuring and Pricing of Drainage and Service Ducts</i>
TII Publication Number	<i>CC-GMP-00500</i>

Activity	<i>Construction & Commissioning (CC)</i>	Document Set	<i>Standards</i>
Stream	<i>Guidance for Measuring & Pricing (GMP)</i>	Publication Date	<i>October 2016</i>
Document Number	<i>00500</i>	Historical Reference	Series MMNG 500

TII Publications Website

This document is part of the TII publications system all of which is available free of charge at <http://www.tiipublications.ie>. For more information on the TII Publications system or to access further TII Publications documentation, please refer to the TII Publications website.

TII Authorisation and Contact Details

This document has been authorised by the Director of Professional Services, Transport Infrastructure Ireland. For any further guidance on the TII Publications system, please contact the following:

Contact: Standards and Research Section, Transport Infrastructure Ireland
 Postal Address: Parkgate Business Centre, Parkgate Street, Dublin 8, D08 DK10
 Telephone: +353 1 646 3600
 Email: infoPUBS@tii.ie

TII Publications



Activity:	Construction & Commissioning (CC)
Stream:	Guidance for Measuring & Pricing (GMP)
TII Publication Title:	Guidance for Measuring and Pricing of Drainage and Service Ducts
TII Publication Number:	CC-GMP-00500
Publication Date:	October 2016
Set:	Standards

Contents Table

1. Tabulated Billing	1
2. Drainage and Service Ducts in Structures	2
3. Alternative Types of Pavement	3
4. References	5
4.1 TII Publications (Standards) References	5

1. Tabulated Billing

The billing of pipe runs of varying diameter and specification with their attendant adjustment items produces a lengthy CC-RMP-00500 bill. It is suggested that a tabulated method is used as shown in the example overleaf. This method will reduce the repetition of item descriptions. This method can also be extended to manholes and chambers.

Where non-standard or small quantities exist they would be best billed in the traditional manner.

2. Drainage and Service Ducts in Structures

The extent of the quantities included in the item for drainage and service ducts to a structure and their interface with non-structural drainage should be clearly shown on the drawings. The quantities making up this item should either be scheduled in an appendix or on a drawing of the structure.

3. Alternative Types of Pavement

There is no requirement to provide separate drainage Bills of Quantities corresponding with each alternative Type of Pavement. Measurement of drainage must be based upon the thinnest construction permitted for any of the alternative Types of Pavement irrespective of the Type of Pavement chosen by the Contractor.

Tabulated Drainage Example

Drains and Sewers

Item	Description				Unit	Quantity	Rate	€
	A mm interna diameter drain or sewer specified trench and bedding type or design group 'B' in trench depth to invert exceeding 2 metres, but not exceeding 4 metres, average depth to invert 'C' metres Adjustment on this item for variation greater than 150mm above or below the average depth of 'C' metres per 25mm of variation in excess of 150mm. Rate per metre 'D' (not to be extended)							
	'A' dia	'B' trench and bedding type or design group	'C' ave. depth	'D' adjust. rate				
21	150	A	2.625		m	54		
22	225	E	2.950		m	18		
23	300	C	2.875		m	78		
24	450	H	3.275		m	157		

Chambers


Item	Description					Unit	Quantity	Rate	€
	Specified chamber type 'A' with 'B', 'C' and frame depth to invert exceeding 'D' metres but not exceeding 'E' metres.								
	'A' chamber type	'B' cover grade	'C' cover type	'D' depth min.	'E' range max.				
76	C	D400	cover	1	3	no	10		
77	C	C250	cover	1	3	no	60		
78	D	D400	cover	3	5	no	70		
79	D	C250	cover	3	5	no	55		

4. References

4.1 TII Publications (Standards) References

CC-RMP-00500 Requirements for Measuring and Pricing of Drainage and Service Ducts.





 Ionad Ghnó Gheata na Páirce,
Stráid Gheata na Páirce,
Baile Átha Cliath 8, D08 DK10, Éire

 Parkgate Business Centre,
Parkgate Street,
Dublin 8, D08 DK10, Ireland

 www.tii.ie

 info@tii.ie

 +353 (01) 646 3600

 +353 (01) 646 3601