


NOTES:

1. DRAWING NOT TO SCALE.
2. THIS DETAIL IS ONLY FOR APPLICATION ON TYPE 2 & TYPE 3 SINGLE CARRIAGEWAY NATIONAL ROADS WITH A SPEED LIMIT NOT EXCEEDING 80 km/h, AADT LESS THAN 10,000 AND MAXIMUM PEAK HOUR VOLUMES LESS THAN 1,400 vph (TWO-WAY).
3. FOR FURTHER DETAIL ON JUNCTION VISIBILITY REQUIREMENTS REFER TO SECTION 7 OF DN-GEO-03060.
4. LANDSCAPING SHALL NOT COMPROMISE VISIBILITY SIGHTLINES OR SAFETY AND SHALL BE LOW MAINTENANCE GRASS.
5. DRAINAGE REQUIREMENTS ARE UNIQUE TO EACH SITE AND SHALL BE PROVIDED IN ACCORDANCE WITH TII DRAINAGE STANDARD DN-DGN-03022.
6. DROPPED KERB AND TACTILE PAVING SHALL BE IN ACCORDANCE WITH CC-SCD-05124 AND CC-SCD-05136.
7. FOR DETAILS ON ROAD MARKINGS REFER TO TRAFFIC SIGNS MANUAL.
8. LIGHTING SHALL BE PROVIDED FOR CROSSING IN ACCORDANCE WITH TII LIGHTING STANDARD DN-LHT-03038.
9. JUG HANDLE IS NOT REQUIRED IF ACTIVE TRAVEL FACILITY IS FURTHER AWAY FROM CARRIAGEWAY AND CAN BE TURNED PERPENDICULARLY TO THE ROAD.
10. PAVEMENT SURFACE SHALL BE IN ACCORDANCE WITH DN-PAV-03023, DN-PAV-03074 & CC-SPW-00900. THE MINIMUM PSV OF CHIPPINGS SHALL BE BASED ON SITE CATEGORY K OF TABLE 3.1 IN DN-PAV-03023.
11. TRAFFIC SIGNS SHALL BE IN ACCORDANCE WITH CC-SCD-00052 AND TRAFFIC SIGNS MANUAL.
12. ON TYPE 2 SINGLE CARRIAGEWAYS, ANY NARROWING OF THE LANE WIDTH SHOULD BE APPLIED OVER THE LENGTH OF THE CENTRAL ISLAND. ON TYPE 3 SINGLE CARRIAGEWAYS, A 3m LANE WIDTH SHALL BE MAINTAINED THROUGH THE CROSSING.
13. THE TAPER FOR THE TRANSITION FROM ON-ROAD SHALL BE 1:5 OR FLATTER.

LEGEND:

- CARRIAGEWAY
- ACTIVE TRAVEL FACILITY
- 45 DEGREE SPLAYED KERB IN THIS LOCATION
- GRASS / LOW LEVEL PLANTING (REFER TO NOTE 4)
- VISIBILITY ENVELOPE (REFER TO NOTE 3)
- BUFF COLOUR SURFACE (REFER TO NOTE 10)
- RED COLOUR SURFACE



<p>Bonneagar Iompair Éireann Transport Infrastructure Ireland</p>	ACTIVITY	PUBLICATION TITLE			
	<p>Construction & Commissioning</p>	TERMINATION OF ACTIVE TRAVEL FACILITY AND TRANSITION TO ROAD WITH HARD STRIP			
STREAM	HISTORICAL REFERENCE	DOCUMENTATION SET	PUBLICATION DATE	PUBLICATION NUMBER	
STANDARD CONSTRUCTION DETAILS (SCD)	N/A	STANDARDS	May 2023	CC	SCD 00054