



PLAN
SCALE 1:25



ELEVATION A-A
SCALE 1:25

BAR BENDING SCHEDULE

Member	Bar mark	Type and size	No. of nbrs.	No. of bars in each	Total no.	Length of each bar + mm	Shape code	A* mm	B* mm	C* mm	D* mm	E/R* mm	Rev letter
Anchor Block	01	B16	1	20	20	1500	00						
	02	B10	1	14	14	1300	21	425	470	(425)			
	03	B16	1	20	20	1450	00						
	04	B10	1	12	12	850	11	425	(425)				
	05	B10	1	14	14	1325	21	425	510	(425)			



END VIEW
SCALE 1:25

NOTES:

- THIS DRAWING IS TO BE READ IN CONJUNCTION WITH DRAWING No. CC-SCD-00409 AND CC-SCD-00410.
- MINIMUM CONCRETE GRADE TO BE C32/40.
- NOMINAL COVER = MIN. COVER + ΔC
ALL FACES = 45mm
- CUTTING AND BENDING OF REINFORCEMENT COMPLIES WITH THE REQUIREMENTS OF BS8666 : (2005).
- REINFORCEMENT HAS BEEN DETAILED BASED ON NOMINAL COVER AS SHOWN UNO.
- LEGEND:
N1 - NEAR FACE OUTERMOST BAR
N2 - NEAR FACE NEXT OUTERMOST BAR
F1 - FAR FACE OUTERMOST BAR
F2 - FAR FACE NEXT OUTERMOST BAR
- ALL EXPOSED CONCRETE EDGES TO HAVE A 25mm x 25mm CHAMFER.



PUBLICATION TITLE

SAFETY BARRIER TERMINATED IN CUTTING
SHEET 3 OF 3 - ANCHOR BLOCK REINFORCEMENT DETAILS

ACTIVITY

STREAM

STANDARD CONSTRUCTION DETAILS (SCD)

HISTORICAL REFERENCE

N/A

DOCUMENTATION SET

STANDARDS

PUBLICATION DATE

MAY 2019

PUBLICATION NUMBER

CC SCD 00411