




DUCT CROSSING TYPE 1  
(FILL AREAS)




DUCT CROSSING TYPE 4  
(FILL AREAS)



DUCT CROSSING TYPE 2  
(FILL AREAS)



DUCT CROSSING TYPE 5  
(FILL AREAS)



DUCT CROSSING TYPE 3  
(FILL AREAS)

NOTES:

1. ALL DIMENSIONS IN MILLIMETRES EXCEPT WHERE STATED.
2. ALL DUCTS ARE 100mm TO CLAUSE 501 UNLESS OTHERWISE STATED IN APPENDIX 5/2.
3. MANHOLES ARE PLACED AT ALL CHANGES IN DIRECTION, OR AS SHOWN.
4. EACH DUCT TO BE SUPPLIED WITH 1 No. POLYPROPYLENE ROPE TO CLAUSE 501.8
5. DUCTS SHALL BE LAID STRAIGHT. NO CHANGE IN DIRECTION GREATER THAN 1 IN 30 TO CURVE AROUND OBSTACLES.
6. DUCTS AND MARKERS SHALL NOT BE SITED UNDER SAFETY FENCE POSTS.
7. DUCT LOCATION POSTS AND MARKER BLOCKS TO DRAWING No RCD/500/50.

LEGEND:

- EGL = EXISTING GROUND LEVEL
- FGL = FUTURE GROUND LEVEL
- BF = BOUNDARY FENCE
- MP = MARKER POST
- MB = MARKER BLOCK
- DC = DUCT CAP
- MH = MANHOLE

NOT TO SCALE

P3	01/09
P2	10/07
P1	03/00
Issue	Date