



GROUND BEAM
(4 NO. IN ANCHORAGE)

BAR SCHEDULE OF REINFORCEMENT

MEMBERS	BAR MK	TYPE & SIZE	NO. OF MBRS	NO. IN EACH	TOTAL NO.	LENGTH OF EACH #	SHAPE CODE	A*	B*	C*	D*	E*
BEAMS	01	H16	4	**	**	3900	44	400	1375	480	1375	-
BEAMS	02	H16	4	4	16	**	00	**	-	-	-	-

- NOTE :-
 1. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE STATED.
 2. CONCRETE IN GROUND BEAMS TO BE STRENGTH CLASS C25/30
 CAST IN TRENCH BELOW FORMATION LEVEL OR SUB-BASE SURFACE.
 3. REINFORCEMENT SHALL CONFORM TO CC-SPW-01000.
 4. BEAM REINFORCEMENT COVER TO BE 60 ± 10.



PUBLICATION TITLE

CONCRETE CARRIAGEWAY
CONTINUOUS REINFORCED CONCRETE PAVEMENT GROUND BEAM ANCHORAGE DETAILS

ACTIVITY

STREAM

STANDARD CONSTRUCTION DETAILS (SCD)

HISTORICAL REFERENCE

RCD/1000/26

DOCUMENTATION SET

STANDARDS

PUBLICATION DATE

DECEMBER 2010

PUBLICATION NUMBER

ACTIVITY

CC

STREAM

SCD

DRAWING NUMBER

01026