


SECTION A-A



PLAN  
TYPICAL ARRANGEMENT OF ACCESS STEPS  
(HAND RAILS ARE NOT SHOWN)

NOTES:

1. IT IS THE RESPONSIBILITY OF THE SCHEME DESIGNER TO ASSESS THE NEED FOR STEPS (AND HANDRAILS) TO ENABLE THE SAFE ACCESS TO AND EGRESS FROM ANY CABINET SITE.
2. THIS DRAWING SHOWS TYPICAL CONSTRUCTION DETAILS FOR STEPS. THE SCHEME DESIGNER SHALL PROVIDE DRAWINGS OF STEP DETAILS FOR GRADIENTS WHERE THIS DRAWING IS INAPPROPRIATE.
3. CLASSES AND GRADES OF MATERIALS ARE DETAILED IN THE MCDRW.
4. STEPS WHERE PAVING SLABS HAVE AN OVERHANG GREATER THAN THAT SHOWN OR ARE CRACKED WILL NOT BE ACCEPTED.
5. THE DESIGN AND CONSTRUCTION OF THE STEPS, INCLUDING LANDING, HANDRAILS AND OTHER STEP AND STAIRWAY ELEMENTS SHALL COMPLY WITH THE RECOMMENDATIONS OF BS 5395 PART 3.

**TII PUBLICATION NUMBER: CC-SCD-01522-01**

NOT TO SCALE

P1	10/13
Issue	Date