



NOTES:

1. ALL FIXTURES AT GATEWAY SHOULD CONFORM TO EN 12767.
2. ALL LIGHTING SHALL BE IN ACCORDANCE WITH THE TII LIGHTING STANDARD DN-LHT-03038.
3. SEE CC-SCD-05119 TO CC-SCD-05120 FOR DETAILS OF SIGNS FOR GATEWAY TYPE A.
4. THIS DESIGN PROVES GENERALLY SUITABLE FOR ROADS WITHOUT A HARDSHOULDER.
5. ADVANCED WARNING SIGNAGE IS GENERALLY NOT REQUIRED FOR GATEWAY TYPE A DESIGNS, AS THERE ARE GENERALLY NO HARD-SHOULDERS PRESENT ON THE IMMEDIATE APPROACH.
6. WHEN SPECIFYING TREES ENSURE CLEAR STEM HEIGHT OF 2.5m SO THEY DO NOT IMPACT ON PEDESTRIAN OR CYCLIST HEAD ROOM.

LEGEND:

| | | | |
|--|--------------------------|--|-------------------------------------------------|
| | CARRIAGEWAY | | VARIED MOWING REGIME TO VERGES FOR BIODIVERSITY |
| | FOOTPATH | | EXISTING HEDGING |
| | BUILDINGS / PRIVATE LAND | | EXISTING / RETAINED TREE |
| | KERBLINE | | PROPOSED TREE |
| | LOW LEVEL PLANTING | | |



ACTIVITY



PUBLICATION TITLE

GATEWAY: TYPE A DESIGN - OVERALL DIMENSION 10.4m MINIMUM

STREAM

STANDARD CONSTRUCTION DETAILS (SCD)

HISTORICAL REFERENCE

N/A

DOCUMENTATION SET

STANDARDS

PUBLICATION DATE

JULY 2021

PUBLICATION NUMBER

CC SCD 05101